



Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
BT	0.000	0.000	Other/Domestic	4.000	16	64.000
BT	0.000	0.000	Other/Domestic	4.000	16	64.000
BT	0.000	0.000	Other/Domestic	7.333	48	351.984
SA178A	1.500	0.120	Other/Domestic	27.000	20	540.000
SA178A	1.500	0.125	Other/Domestic	24.000	195	4,680.000
SA178A	1.500	0.135	Other/Domestic	24.000	128	3,072.000
SA178A	1.500	0.150	Other/Domestic	24.000	2	48.000
SA178A	1.500	0.150	Other/Domestic	24.083	5	120.415
SA178A	1.500	0.165	Other/Domestic	23.250	23	534.750
SA178A	1.750	0.165	Other/Domestic	21.250	3	63.750
SA178A	1.750	0.165	Other/Domestic	25.000	17	425.000
SA178A	1.750	0.165	Other/Domestic	30.000	8	240.000
SA178A	2.000	0.105	Other/Domestic	24.000	0	0.000
SA178A	2.000	0.150	Other/Domestic	24.000	2	48.000
SA178A	2.000	0.165	Other/Domestic	24.000	4	96.000
SA178A	2.000	0.180	Other/Domestic	17.917	6	107.502
SA178A	2.000	0.180	Other/Domestic	31.000	17	527.000
SA178A	2.000	0.180	Other/Domestic	34.167	6	205.002
SA178A	2.000	0.203	Other/Domestic	24.000	95	2,280.000
SA178A	2.000	0.203	Other/Domestic	36.250	2	72.500
SA178A	2.000	0.220	Other/Domestic	18.250	2	36.500
SA178A	2.000	0.220	Other/Domestic	44.833	25	1,120.825
SA178A	2.000	0.240	Other/Domestic	37.667	1	37.667
SA178A	2.000	0.240	Other/Domestic	38.500	8	308.000
SA178A	2.500	0.120	Other/Domestic	21.000	0	0.000
SA178A	2.500	0.135	Other/Domestic	24.000	1	24.000
SA178A	2.500	0.135	Other/Domestic	41.000	3	123.000
SA178A	2.500	0.150	Other/Domestic	16.250	1	16.250
SA178A	2.500	0.150	Other/Domestic	21.000	8	168.000
SA178A	2.500	0.165	Other/Domestic	24.000	66	1,584.000
SA178A	2.500	0.203	Other/Domestic	24.000	11	264.000
SA178A	3.000	0.105	Other/Domestic	24.000	15	360.000
SA178A	3.000	0.105	Other/Domestic	27.000	1	27.000
SA178A	3.000	0.105	Other/Domestic	30.000	3	90.000

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA178A	3.000	0.150	Other/Domestic	24.000	12	288.000
SA178A	3.000	0.165	Other/Domestic	20.500	3	61.500
SA178A	3.000	0.165	Other/Domestic	24.000	1	24.000
SA178A	3.000	0.200	Other/Domestic	24.000	12	288.000
SA178A	3.000	0.220	Other/Domestic	24.000	15	360.000
SA178A	4.000	0.135	Other/Domestic	17.420	1	17.420
SA178A	4.000	0.150	Other/Domestic	20.083	13	261.079
SA178A	4.000	0.150	Other/Domestic	24.083	1	24.083
SA178C	2.250	0.180	Other/Domestic	38.000	1	38.000
SA178C	3.000	0.180	Other/Domestic	18.250	3	54.750
SA178C	3.000	0.180	Other/Domestic	27.500	4	110.000
SA192	1.250	0.120	Other/Domestic	20.083	3	60.249
SA192	1.750	0.200	Other/Domestic	29.500	3	88.500
SA192	2.000	0.134	Other/Domestic	20.000	11	220.000
SA192	2.500	0.176	Other/Domestic	32.083	3	96.249
SA192	2.750	0.220	Other/Domestic	36.000	2	72.000
SA192	2.750	0.220	Other/Domestic	38.000	2	76.000
SA192,	0.000	0.005	Other/Domestic	19.500	137	2,671.500
SA209T1	2.750	0.165	Other/Domestic	28.000	3	84.000
SA209T1	2.750	0.165	Other/Domestic	29.750	6	178.500
SA209T1A	1.750	0.148	Other/Domestic	30.000	5	150.000
SA209T1A	1.750	0.148	Other/Domestic	32.083	2	64.166
SA209T1A	1.750	0.250	Other/Domestic	20.000	17	340.000
SA209T1A	2.000	0.214	Other/Domestic	40.750	1	40.750
SA209T1A	2.250	0.148	Other/Domestic	18.000	2	36.000
SA209T1A	2.250	0.300	Other/Domestic	27.500	2	55.000
SA209T1A	2.969	0.330	Other/Domestic	20.000	4	80.000
SA210A	2.000	0.095	China	36.000	32	1,152.000
SA210A	2.625	0.328	Other/Domestic	31.000	11	341.000
SA210A1	1.000	0.000	Other/Domestic	24.000	16	384.000
SA210A1	1.000	0.240	Other/Domestic	27.000	13	351.000
SA210A1	1.500	0.105	Other/Domestic	24.000	140	3,360.000
SA210A1	1.500	0.150	Other/Domestic	24.000	100	2,400.000
SA210A1	1.500	0.180	Other/Domestic	25.250	2	50.500
SA210A1	1.750	0.180	Other/Domestic	33.500	0	0.000
SA210A1	1.750	0.180	Other/Domestic	38.500	12	462.000
SA210A1	1.750	0.188	Other/Domestic	28.000	3	84.000

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA210A1	1.750	0.300	Other/Domestic	32.000	26	832.000
SA210A1	2.000	0.095	Other/Domestic	24.000	87	2,088.000
SA210A1	2.000	0.150	Other/Domestic	24.000	6	144.000
SA210A1	2.000	0.165	Other/Domestic	24.000	24	576.000
SA210A1	2.000	0.203	Other/Domestic	38.500	1	38.500
SA210A1	2.000	0.240	Other/Domestic	24.000	52	1,248.000
SA210A1	2.000	0.260	Other/Domestic	26.000	4	104.000
SA210A1	2.000	0.313	Other/Domestic	23.000	1	23.000
SA210A1	2.000	0.400	Other/Domestic	30.083	5	150.415
SA210A1	2.125	0.165	Other/Domestic	25.000	9	225.000
SA210A1	2.125	0.300	Other/Domestic	23.000	2	46.000
SA210A1	2.250	0.180	Other/Domestic	24.000	21	504.000
SA210A1	2.250	0.180	Other/Domestic	25.000	89	2,225.000
SA210A1	2.250	0.203	Other/Domestic	23.000	4	92.000
SA210A1	2.250	0.203	Other/Domestic	24.000	77	1,848.000
SA210A1	2.250	0.220	Other/Domestic	23.000	9	207.000
SA210A1	2.250	0.220	Other/Domestic	38.500	5	192.500
SA210A1	2.250	0.240	Other/Domestic	25.000	13	325.000
SA210A1	2.250	0.240	Other/Domestic	28.500	11	313.500
SA210A1	2.375	0.260	China	33.833	1	33.833
SA210A1	2.375	0.320	Other/Domestic	27.000	1	27.000
SA210A1	2.500	0.135	Other/Domestic	38.000	2	76.000
SA210A1	2.500	0.150	Other/Domestic	24.000	2	48.000
SA210A1	2.500	0.165	Other/Domestic	24.000	14	336.000
SA210A1	2.500	0.180	Other/Domestic	20.000	1	20.000
SA210A1	2.500	0.180	China	39.000	2	78.000
SA210A1	2.500	0.180	Other/Domestic	48.000	21	1,008.000
SA210A1	2.500	0.203	Other/Domestic	10.500	0	0.000
SA210A1	2.500	0.203	Other/Domestic	21.000	7	147.000
SA210A1	2.750	0.203	Other/Domestic	24.000	42	1,008.000
SA210A1	2.750	0.325	Other/Domestic	42.500	5	212.500
SA210A1	2.750	0.330	Other/Domestic	30.000	3	90.000
SA210A1	2.849	0.000	Other/Domestic	25.000	3	75.000
SA210A1	2.849	0.000	Other/Domestic	39.000	6	234.000
SA210A1	2.849	0.000	Other/Domestic	45.000	6	270.000
SA210A1	3.000	0.150	China	36.000	14	504.000
SA210A1	3.000	0.165	Other/Domestic	24.000	2	48.000

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA210A1	3.000	0.260	Other/Domestic	9.420	1	9.420
SA210A1	3.000	0.260	Other/Domestic	25.500	14	357.000
SA210A1	6.000	0.572	Other/Domestic	24.500	3	73.500
SA210A1-MLR	2.000	0.200	Other/Domestic	17.500	20	350.000
SA210A1-MLR	2.250	0.240	Other/Domestic	31.000	5	155.000
SA210A1-MLR	2.250	0.300	Other/Domestic	29.750	3	89.250
SA210A1-MLR	2.250	0.300	Other/Domestic	31.000	4	124.000
SA210A1-MLR	2.375	0.300	Other/Domestic	31.000	8	248.000
SA210A1-MLR	2.375	0.300	Other/Domestic	31.500	2	63.000
SA210A1-MLR	2.375	0.300	Other/Domestic	31.583	2	63.166
SA210A1-MLR	2.375	0.300	Other/Domestic	33.500	11	368.500
SA210A1-MLR	2.625	0.328	Other/Domestic	16.500	9	148.500
SA210A1-MLR	2.849	0.380	Other/Domestic	23.000	12	276.000
SA210C	2.000	0.240	Other/Domestic	24.000	9	216.000
SA210C	3.000	0.277	Other/Domestic	29.000	6	174.000
SA210C	3.000	0.299	Other/Domestic	30.000	1	30.000
SA210C	3.250	0.437	Other/Domestic	25.000	2	50.000
SA210C	4.000	0.594	Other/Domestic	20.000	2	40.000
SA213T	0.000	0.000	Other/Domestic	24.000	129	3,096.000
SA213T	0.000	0.000	China	26.000	5	130.000
SA213T	0.000	0.000	Other/Domestic	27.000	1	27.000
SA213T	0.000	0.000	Other/Domestic	29.000	10	290.000
SA213T	0.000	0.000	China	32.250	8	258.000
SA213T	0.000	0.000	Other/Domestic	37.000	3	111.000
SA213T	0.000	0.000	Other/Domestic	37.500	8	300.000
SA213T	0.000	0.750	Other/Domestic	32.083	1	32.083
SA213T11	1.250	0.220	Other/Domestic	21.500	0	0.000
SA213T11	1.250	0.238	Other/Domestic	15.500	1	15.500
SA213T11	1.500	0.180	Other/Domestic	27.250	1	27.250
SA213T11	1.500	0.180	Other/Domestic	33.250	3	99.750
SA213T11	1.500	0.220	Other/Domestic	24.000	0	0.000
SA213T11	1.687	0.158	Other/Domestic	32.000	4	128.000
SA213T11	1.750	0.180	Other/Domestic	13.250	1	13.250
SA213T11	1.750	0.180	Other/Domestic	23.583	12	282.996
SA213T11	1.750	0.180	Other/Domestic	24.000	80	1,920.000
SA213T11	1.750	0.200	Other/Domestic	24.000	3	72.000
SA213T11	1.750	0.203	Other/Domestic	24.000	3	72.000

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA213T11	1.750	0.250	Other/Domestic	24.000	44	1,056.000
SA213T11	1.750	0.300	Other/Domestic	21.500	1	21.500
SA213T11	1.750	0.300	Other/Domestic	22.500	21	472.500
SA213T11	2.000	0.135	Other/Domestic	24.000	57	1,368.000
SA213T11	2.000	0.220	Other/Domestic	24.000	0	0.000
SA213T11	2.000	0.281	Other/Domestic	31.000	0	0.000
SA213T11	2.000	0.400	Other/Domestic	20.000	43	860.000
SA213T11	2.000	0.400	Other/Domestic	31.000	1	31.000
SA213T11	2.125	0.360	Other/Domestic	17.000	4	68.000
SA213T11	2.150	0.290	Other/Domestic	34.500	0	0.000
SA213T11	2.250	0.165	Other/Domestic	24.000	20	480.000
SA213T11	2.480	0.000	Other/Domestic	22.000	15	330.000
SA213T11	2.500	0.180	Other/Domestic	23.000	23	529.000
SA213T11	2.500	0.180	Other/Domestic	24.000	2	48.000
SA213T11	2.500	0.180	Other/Domestic	26.000	2	52.000
SA213T11	2.500	0.220	Other/Domestic	24.000	1	24.000
SA213T11	2.500	0.250	Other/Domestic	29.000	1	29.000
SA213T11	2.750	0.180	Other/Domestic	25.000	1	25.000
SA213T11	3.250	0.304	Other/Domestic	34.000	1	34.000
SA213T11	3.500	0.438	Other/Domestic	23.580	1	23.580
SA213T11	3.500	0.438	Other/Domestic	34.083	14	477.162
SA213T12	5.000	0.700	Other/Domestic	22.000	5	110.000
SA213T12-MLR	1.250	0.203	Other/Domestic	20.000	15	300.000
SA213T12-MLR	1.250	0.203	Other/Domestic	20.417	3	61.251
SA213T2	1.250	0.180	Other/Domestic	24.000	1	24.000
SA213T2	1.250	0.220	Other/Domestic	26.000	6	156.000
SA213T2	1.750	0.330	Other/Domestic	37.000	5	185.000
SA213T2	1.750	0.365	Other/Domestic	47.500	2	95.000
SA213T2	2.250	0.165	Other/Domestic	42.500	487	20,697.500
SA213T2	2.375	0.390	Other/Domestic	29.000	7	203.000
SA213T2	2.375	0.390	Other/Domestic	32.000	13	416.000
SA213T2	2.375	0.400	Other/Domestic	21.500	7	150.500
SA213T2	2.500	0.240	Other/Domestic	41.500	9	373.500
SA213T2-MLR	2.750	0.290	Other/Domestic	20.500	7	143.500
SA213T2-MLR	3.000	0.320	Other/Domestic	33.667	1	33.667
SA213T2-MLR	3.000	0.320	Other/Domestic	34.000	1	34.000
SA213T22	0.000	0.000	Other/Domestic	6.000	6	36.000

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA213T22	0.000	0.000	Other/Domestic	10.000	1	10.000
SA213T22	0.000	0.000	Other/Domestic	15.000	1	15.000
SA213T22	0.000	0.000	Other/Domestic	17.000	1	17.000
SA213T22	0.000	0.000	Other/Domestic	23.000	1	23.000
SA213T22	0.000	0.000	Other/Domestic	28.000	1	28.000
SA213T22	0.000	0.000	Other/Domestic	38.000	374	14,212.000
SA213T22	0.750	0.000	Other/Domestic	29.000	98	2,842.000
SA213T22	0.875	0.150	Other/Domestic	29.000	131	3,799.000
SA213T22	1.250	0.203	Other/Domestic	24.000	0	0.000
SA213T22	1.250	0.203	Other/Domestic	30.000	0	0.000
SA213T22	1.250	0.203	Other/Domestic	33.000	0	0.000
SA213T22	1.500	0.000	China	25.500	11	280.500
SA213T22	1.500	0.120	Other/Domestic	24.000	224	5,376.000
SA213T22	1.500	0.150	Other/Domestic	24.000	72	1,728.000
SA213T22	1.500	0.165	Other/Domestic	24.000	145	3,480.000
SA213T22	1.500	0.180	Other/Domestic	24.000	150	3,600.000
SA213T22	1.500	0.203	Other/Domestic	24.000	0	0.000
SA213T22	1.500	0.220	Other/Domestic	24.000	1	24.000
SA213T22	1.500	0.420	Other/Domestic	20.000	6	120.000
SA213T22	1.500	0.420	Other/Domestic	27.000	6	162.000
SA213T22	1.625	0.220	Other/Domestic	29.000	2	58.000
SA213T22	1.625	0.220	Other/Domestic	35.750	3	107.250
SA213T22	1.625	0.220	Other/Domestic	39.750	6	238.500
SA213T22	1.625	0.340	China	20.250	9	182.250
SA213T22	1.625	0.340	China	23.250	8	186.000
SA213T22	1.750	0.180	Other/Domestic	23.250	4	93.000
SA213T22	1.750	0.180	Other/Domestic	24.000	100	2,400.000
SA213T22	1.750	0.203	Other/Domestic	27.000	0	0.000
SA213T22	1.750	0.203	China	39.000	6	234.000
SA213T22	1.750	0.240	Other/Domestic	24.000	31	744.000
SA213T22	1.875	0.400	Other/Domestic	24.083	16	385.328
SA213T22	1.875	0.400	Other/Domestic	41.000	12	492.000
SA213T22	2.000	0.105	Other/Domestic	24.000	98	2,352.000
SA213T22	2.000	0.120	Other/Domestic	24.000	10	240.000
SA213T22	2.000	0.135	Other/Domestic	24.500	1	24.500
SA213T22	2.000	0.135	Other/Domestic	38.000	0	0.000
SA213T22	2.000	0.148	Other/Domestic	17.000	1	17.000

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA213T22	2.000	0.165	Other/Domestic	28.333	13	368.329
SA213T22	2.000	0.165	Other/Domestic	28.417	10	284.170
SA213T22	2.000	0.165	Other/Domestic	28.500	1	28.500
SA213T22	2.000	0.220	Other/Domestic	24.000	17	408.000
SA213T22	2.000	0.220	Other/Domestic	34.750	4	139.000
SA213T22	2.000	0.220	China	37.750	2	75.500
SA213T22	2.000	0.221	Other/Domestic	38.000	7	266.000
SA213T22	2.000	0.238	Other/Domestic	39.000	6	234.000
SA213T22	2.000	0.240	Other/Domestic	24.000	12	288.000
SA213T22	2.000	0.260	Other/Domestic	24.000	0	0.000
SA213T22	2.000	0.275	Other/Domestic	39.000	1	39.000
SA213T22	2.000	0.319	Other/Domestic	24.500	1	24.500
SA213T22	2.000	0.320	Other/Domestic	20.500	3	61.500
SA213T22	2.000	0.376	Other/Domestic	15.500	1	15.500
SA213T22	2.000	0.376	Other/Domestic	24.000	5	120.000
SA213T22	2.000	0.408	Other/Domestic	38.000	0	0.000
SA213T22	2.000	0.580	Other/Domestic	30.000	5	150.000
SA213T22	2.000	0.580	Other/Domestic	32.000	1	32.000
SA213T22	2.125	0.134	Other/Domestic	31.000	0	0.000
SA213T22	2.125	0.165	Other/Domestic	24.000	56	1,344.000
SA213T22	2.125	0.180	Other/Domestic	20.167	21	423.507
SA213T22	2.125	0.180	Other/Domestic	24.000	9	216.000
SA213T22	2.125	0.180	Other/Domestic	26.000	1	26.000
SA213T22	2.125	0.200	China	19.750	1	19.750
SA213T22	2.125	0.200	China	25.750	3	77.250
SA213T22	2.125	0.203	China	30.500	10	305.000
SA213T22	2.125	0.203	China	34.500	32	1,104.000
SA213T22	2.125	0.203	Other/Domestic	37.500	2	75.000
SA213T22	2.125	0.281	China	26.000	22	572.000
SA213T22	2.125	0.281	Other/Domestic	28.083	2	56.166
SA213T22	2.125	0.300	Other/Domestic	27.250	25	681.250
SA213T22	2.125	0.313	Other/Domestic	18.000	2	36.000
SA213T22	2.125	0.375	China	21.000	0	0.000
SA213T22	2.125	0.375	China	26.250	1	26.250
SA213T22	2.125	0.375	China	28.250	4	113.000
SA213T22	2.125	0.375	China	31.500	1	31.500
SA213T22	2.125	0.500	China	25.250	4	101.000

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA213T22	2.125	0.500	China	26.000	13	338.000
SA213T22	2.125	0.500	China	26.250	11	288.750
SA213T22	2.250	0.125	Other/Domestic	28.083	18	505.494
SA213T22	2.250	0.150	Other/Domestic	24.000	7	168.000
SA213T22	2.250	0.165	Other/Domestic	24.000	64	1,536.000
SA213T22	2.250	0.180	Other/Domestic	29.500	22	649.000
SA213T22	2.250	0.203	Other/Domestic	32.000	14	448.000
SA213T22	2.250	0.220	Other/Domestic	19.250	25	481.250
SA213T22	2.250	0.220	Other/Domestic	24.000	34	816.000
SA213T22	2.250	0.220	Other/Domestic	32.500	1	32.500
SA213T22	2.250	0.220	Other/Domestic	38.000	17	646.000
SA213T22	2.250	0.220	Other/Domestic	38.250	9	344.250
SA213T22	2.250	0.240	Other/Domestic	19.000	1	19.000
SA213T22	2.250	0.260	Other/Domestic	24.000	6	144.000
SA213T22	2.250	0.280	Other/Domestic	24.000	1	24.000
SA213T22	2.250	0.290	China	34.000	1	34.000
SA213T22	2.250	0.290	China	38.000	2	76.000
SA213T22	2.250	0.350	Other/Domestic	41.500	2	83.000
SA213T22	2.250	0.438	Other/Domestic	32.000	1	32.000
SA213T22	2.500	0.150	Other/Domestic	24.000	11	264.000
SA213T22	2.500	0.165	Other/Domestic	24.000	20	480.000
SA213T22	2.500	0.165	China	26.250	16	420.000
SA213T22	2.500	0.203	Other/Domestic	32.000	0	0.000
SA213T22	2.500	0.235	Other/Domestic	28.000	2	56.000
SA213T22	2.500	0.235	Other/Domestic	37.000	2	74.000
SA213T22	2.500	0.235	Other/Domestic	37.750	6	226.500
SA213T22	2.500	0.260	Other/Domestic	21.833	1	21.833
SA213T22	2.500	0.280	Other/Domestic	24.000	2	48.000
SA213T22	2.500	0.280	Other/Domestic	38.000	7	266.000
SA213T22	2.500	0.460	Other/Domestic	44.500	7	311.500
SA213T22	2.500	0.495	Other/Domestic	28.000	5	140.000
SA213T22	2.500	0.625	Other/Domestic	24.000	12	288.000
SA213T23	1.500	0.135	Other/Domestic	32.000	81	2,592.000
SA213T23	1.500	0.165	Other/Domestic	32.000	37	1,184.000
SA213T91	0.000	0.000	Other/Domestic	38.000	75	2,850.000
SA213T91	0.750	0.000	Other/Domestic	29.000	176	5,104.000
SA213T91	0.875	0.150	Other/Domestic	29.000	5	145.000

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA213T91	1.500	0.150	China	26.000	756	19,656.000
SA213T91	1.500	0.150	China	28.000	61	1,708.000
SA213T91	2.250	0.000	Other/Domestic	24.000	25	600.000
SA213T92	2.250	0.251	Other/Domestic	24.667	3	74.001
SA213TP304H	1.500	0.250	Other/Domestic	43.750	7	306.250
SA213TP304H	1.500	0.280	Other/Domestic	38.500	1	38.500
SA213TP304H	1.625	0.180	Other/Domestic	25.000	19	475.000
SA213TP304H	1.875	0.200	Other/Domestic	25.000	88	2,200.000
SA213TP304H	2.000	0.150	Other/Domestic	23.000	3	69.000
SA213TP304H	2.000	0.165	Other/Domestic	24.000	1	24.000
SA213TP304H	2.000	0.180	Other/Domestic	36.000	11	396.000
SA213TP304H	2.000	0.224	Other/Domestic	37.000	4	148.000
SA213TP304H	2.000	0.235	Other/Domestic	35.250	10	352.500
SA213TP304H	2.000	0.272	Other/Domestic	37.000	15	555.000
SA213TP304H	2.000	0.330	Other/Domestic	25.000	3	75.000
SA213TP304H	2.000	0.378	Other/Domestic	32.000	6	192.000
SA213TP304H	2.000	0.378	Other/Domestic	38.000	17	646.000
SA213TP304H	2.125	0.148	China	24.000	4	96.000
SA213TP304H	2.125	0.200	Other/Domestic	20.000	1	20.000
SA213TP304H	2.125	0.240	Other/Domestic	25.000	0	0.000
SA213TP304H	2.125	0.320	Other/Domestic	25.000	0	0.000
SA213TP304H	2.250	0.150	Other/Domestic	27.000	8	216.000
SA213TP304H	2.250	0.177	Other/Domestic	9.917	3	29.751
SA213TP304H	2.250	0.180	Other/Domestic	16.750	8	134.000
SA213TP304H	2.250	0.180	Other/Domestic	18.500	3	55.500
SA213TP304H	2.250	0.180	Other/Domestic	24.250	14	339.500
SA213TP304H	2.250	0.200	Other/Domestic	21.250	1	21.250
SA213TP304H	2.250	0.200	Other/Domestic	26.250	1	26.250
SA213TP304H	2.250	0.203	Other/Domestic	24.000	12	288.000
SA213TP304H	2.250	0.220	Other/Domestic	25.250	1	25.250
SA213TP304H	2.250	0.245	Other/Domestic	37.750	5	188.750
SA213TP304H	2.250	0.255	Other/Domestic	36.750	13	477.750
SA213TP304H	2.250	0.280	Other/Domestic	18.167	3	54.500
SA213TP304H	2.250	0.280	Other/Domestic	18.250	28	511.000
SA213TP304H	2.250	0.280	Other/Domestic	19.083	31	591.583
SA213TP304H	2.250	0.280	Other/Domestic	22.083	2	44.167
SA213TP304H	2.250	0.280	Other/Domestic	25.083	14	351.167

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA213TP304H	2.500	0.165	China	25.000	1	25.000
SA213TP304H	2.500	0.180	Other/Domestic	37.000	4	148.000
SA213TP304H	2.500	0.203	Other/Domestic	24.000	2	48.000
SA213TP304H	2.500	0.220	Other/Domestic	24.000	4	96.000
SA213TP304H	2.625	0.250	Other/Domestic	24.000	2	48.000
SA213TP304H	2.750	0.150	Other/Domestic	25.000	79	1,975.000
SA213TP304H	3.000	0.300	Other/Domestic	22.000	49	1,078.000
SA213TP310H	2.250	0.180	Other/Domestic	22.000	1	22.000
SA213TP321H	1.500	0.180	Other/Domestic	35.000	1	35.000
SA213TP321H	1.500	0.180	Other/Domestic	38.500	14	539.000
SA213TP321H	2.000	0.296	Other/Domestic	17.250	3	51.750
SA213TP321H	2.125	0.320	Other/Domestic	16.250	6	97.500
SA213TP321H	2.250	0.180	China	30.750	4	123.000
SA213TP347H	1.500	0.000	Other/Domestic	16.000	17	272.000
SA213TP347H	1.500	0.000	Other/Domestic	17.250	17	293.250
SA213TP347H	1.500	0.165	Other/Domestic	23.500	1	23.500
SA213TP347H	1.500	0.165	Other/Domestic	32.500	1	32.500
SA213TP347H	1.500	0.165	Other/Domestic	36.750	4	147.000
SA213TP347H	1.500	0.165	Other/Domestic	43.000	5	215.000
SA213TP347H	1.500	0.203	Other/Domestic	27.000	40	1,080.000
SA213TP347H	1.500	0.240	China	40.500	2	81.000
SA213TP347H	1.500	0.240	China	42.250	4	169.000
SA213TP347H	1.500	0.250	Other/Domestic	44.000	4	176.000
SA213TP347H	1.500	0.375	Other/Domestic	25.000	8	200.000
SA213TP347H	1.500	0.375	Other/Domestic	27.000	20	540.000
SA213TP347H	1.625	0.165	Other/Domestic	22.500	6	135.000
SA213TP347H	1.625	0.165	China	35.750	5	178.750
SA213TP347H	1.625	0.240	Other/Domestic	16.000	30	480.000
SA213TP347H	1.750	0.200	Other/Domestic	22.000	3	66.000
SA213TP347H	1.750	0.203	Other/Domestic	24.000	1	24.000
SA213TP347H	1.750	0.341	Other/Domestic	24.000	4	96.000
SA213TP347H	2.125	0.150	Other/Domestic	25.000	130	3,250.000
SA213TP347H	2.125	0.240	Other/Domestic	33.417	6	200.502
SA213TP347H	2.125	0.281	Other/Domestic	25.000	84	2,100.000
SA213TP347H	2.125	0.281	Other/Domestic	27.000	65	1,755.000
SA213TP347H	2.125	0.300	Other/Domestic	15.000	1	15.000
SA213TP347H	2.125	0.300	Other/Domestic	25.000	113	2,825.000

Material Grade	Tube Diameter	Wall Thickness	Origin	Tube Length (ft)	Available # of Tubes	Total Available Length (ft)
SA213TP347H	2.125	0.300	Other/Domestic	27.000	56	1,512.000
SA213TP347H	2.125	0.320	Other/Domestic	27.000	12	324.000
SA213TP347H	2.125	0.340	Other/Domestic	20.000	3	60.000
SA213TP347H	2.250	0.148	China	31.000	3	93.000
SA213TP347H	2.250	0.165	Other/Domestic	27.000	59	1,593.000
SA213TP347H	2.250	0.165	Other/Domestic	31.500	3	94.500
SA213TP347H	2.250	0.165	China	35.000	3	105.000
SA213TP347H	2.250	0.203	Other/Domestic	21.000	1	21.000
SA213TP347H	2.250	0.203	Other/Domestic	22.500	1	22.500
SA213TP347H	2.375	0.158	Other/Domestic	24.083	10	240.830
SA213TP347H	2.500	0.134	Other/Domestic	33.500	0	0.000
SA213TP347H	2.500	0.150	Other/Domestic	26.500	0	0.000
SA213TP347H	2.500	0.150	Other/Domestic	37.750	0	0.000
SA213TP347H	2.500	0.150	Other/Domestic	38.000	9	342.000
SA213TP347H	2.500	0.180	Other/Domestic	28.500	0	0.000
SA213TP347H	2.750	0.150	Other/Domestic	25.000	12	300.000
SA249TP304	3.500	0.125	Other/Domestic	32.000	23	736.000
SA249TP304	3.500	0.219	Other/Domestic	32.000	10	320.000
SB423825	2.000	0.220	Other/Domestic	30.000	2	60.000
ST	0.000	0.000	Other/Domestic	10.000	14	140.000
ST	0.000	0.000	Other/Domestic	10.000	16	160.000
ST	0.000	0.000	Other/Domestic	20.000	10	200.000